

# Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

## Listing of Claims:

1. (Currently Amended) A method for supplementing the diet of a subject with diabetes mellitus comprising administering to the subject a composition comprising medium-chain triglycerides in an amount sufficient to regulate and normalize fat metabolism in the subject, wherein the composition contains a fat phase which comprises:

(a) 10 to 30% triglycerides of octanoic and/or decanoic acid (caprylic acid; C8:0 and/or capric acid; C10:0) medium-chain triglycerides;

(b) 20 to 60% oleic acid as mono-unsaturated triglyceride at least one monounsaturated fatty acid;

(c) 10 to 35% linoleic acid as di-unsaturated triglyceride linoleic acid; and

(d) 3 to 10%  $\alpha$ -linolenic acid as tri-unsaturated triglyceride. ; and

(e) ~~0.5 to 2% eicosapentaen acid and/or docosahexaen acid as multiple unsaturated triglycerides.~~

2-8. (Canceled)

9. (Original) The method according to claim 1, wherein the composition further comprises saturated long-chain triglycerides of 6% at the most.

10. (Currently Amended) The method according to claim 1, wherein the fat phase of the composition further comprises:

(a) ~~medium-chain triglycerides~~ 10 to 30%;

[[ (b) ] ] (a) saturated long-chain triglycerides 0.5 to 6%;

(c) ~~oleic acid~~ 20 to 60%;

(d) ~~linoleic acid~~ 10 to 35%;

(e) ~~alpha-linolenic acid~~ 3 to 10%; and

[[f]] **(b)** eicosapentaen acid and/or docosahexaen acid 0.5 to 2%.

11. (Previously Presented) The method according to claim 1, wherein the fat phase of the composition further comprises mono- and diglycerides of edible fatty acids, fat-soluble vitamins,  $\beta$ -carotene, and butter flavourings.

12. (Currently Amended) The method according to claim [[11]] **1**, wherein the fat-soluble vitamins are vitamins A, D, **and/or** E ~~and/or vitamin C in the form of ascorbyl~~ palmitate.

13. (Original) The method according to claim 12, wherein the fat phase of the composition comprises 0.0002 to 0.002 g retinyl palmitate and/or 1 to 5  $\mu$ g (40-200 I. U.) vitamin D3 and/or 0.02 to 0.2 g natural vitamin E in the form of RRR- $\alpha$ -tocopheryl acetate and/or 0.06 to 0.6 g ascorbyl palmitate.

14. (Previously Presented) The method according to claim 1, wherein (a) the fat phase of the composition comprises 80% and an aqueous phase is 20% or (b) the fat phase of the composition is about 60 to 65% and an aqueous phase is 35 to 40%.

15. (Original) The method according to claim 14, wherein the aqueous phase comprises the vitamins B6, B12 and/or folic acid.

16. (Currently Amended) The method according to claim 15, wherein the aqueous phase further comprises the vitamins [[C,]] B1, B2 and/or niacin.

17. (Previously Presented) The method according to claim 16, wherein the composition comprises 0.01 to 0.25 g vitamin C and/or 0.0005 to 0.005 g vitamin B1 and/or 0.0006 mg to 0.006 g vitamin B2 and/or 0.0007 to 0.007 g vitamin B6 and/or 0.0015 to 0.015 mg vitamin B12 and/or 0.007 to 0.070 g niacin and/or 0.0002 to 0.002 g folic acid.

18. (Currently Amended) The method according to claim 14, wherein the aqueous phase of the composition contains ~~zinc, chrome~~ **chromium** and/or manganese.

19. (Currently Amended) The method according to claim 18, wherein the composition per 100 g comprises 0.00225 to 0.015 g zinc and/or 0.03 mg to 0.1 mg chromium ~~chrome~~ and/or 0.002 to 0.005 g manganese.
20. (Previously Presented) The method according to claim 1, wherein the fat phase of the composition further comprises citric acid.
21. (Previously Presented) The method according to claim 1, wherein the eicosapentaen acid and/or docosahexaen acid are from refined fish oil concentrate.
22. (Canceled)
23. (New) The method of claim 1, wherein the composition contains eicosapentenoic acid and/or docosahexaenoic acid as polyunsaturated triglycerides.
24. (New) The method of claim 23, wherein the composition contains 0.5 to 2% eicosapentenoic acid and/or docosahexaenoic acid as polyunsaturated triglycerides.